



## Connector Adapters Reference Guide

OTDRs | Certification Testers | Fiberscopes | Loss Test Sets


# ROGUE OTDR and OLTS/CERT Modules, M Series OTDRs


## Connector Adapters for the OTDR/OLS, OPM, and VFL Test Ports

| IMAGE   | TYPE | PORT     | AFL NO.        |
|---|------|----------|----------------|
|  | FC   | OTDR/OLS | 2900-50-0002MR |

| IMAGE  | TYPE | PORT | AFL NO.        |
|--|------|------|----------------|
|  | ST   | OPM  | 2900-52-0003MR |

|   |    |          |                |
|---|----|----------|----------------|
|  | SC | OTDR/OLS | 2900-50-0003MR |
|---|----|----------|----------------|


|  |    |     |                |
|--|----|-----|----------------|
|  | LC | OPM | 2900-52-0004MR |
|--|----|-----|----------------|

|   |    |          |                |
|---|----|----------|----------------|
|  | ST | OTDR/OLS | 2900-50-0004MR |
|---|----|----------|----------------|


|  |                  |     |                |
|--|------------------|-----|----------------|
|  | 2.5 mm Universal | OPM | 2900-52-0005MR |
|--|------------------|-----|----------------|

|  |    |          |                |
|--|----|----------|----------------|
|  | LC | OTDR/OLS | 2900-50-0006MR |
|--|----|----------|----------------|

|   |                   |     |                |
|---|-------------------|-----|----------------|
|  | 1.25 mm Universal | OPM | 2900-52-0006MR |
|---|-------------------|-----|----------------|

|   |    |     |                |
|---|----|-----|----------------|
|  | FC | OPM | 2900-52-0001MR |
|---|----|-----|----------------|


|  |                  |     |                |
|--|------------------|-----|----------------|
|  | 2.5 mm Universal | VFL | 2900-50-0007MR |
|--|------------------|-----|----------------|


|   |    |     |                |
|---|----|-----|----------------|
|  | SC | OPM | 2900-52-0002MR |
|---|----|-----|----------------|

|  |                   |     |                |
|--|-------------------|-----|----------------|
|  | 1.25 mm Universal | VFL | 2900-50-0010MR |
|--|-------------------|-----|----------------|


# FlexScan® FS200, FlexTester FLX380 and OFL280 Series


## Connector Adapters for the OTDR/OLS, OPM, and VFL Test Ports

| IMAGE   | TYPE | PORT     | AFL NO.        |
|---|------|----------|----------------|
|  | FC   | OTDR/OLS | 2900-50-0002MR |


| IMAGE  | TYPE | PORT | AFL NO.        |
|--|------|------|----------------|
|  | ST   | OPM  | 2900-52-0003MR |

|   |    |          |                |
|---|----|----------|----------------|
|  | SC | OTDR/OLS | 2900-50-0003MR |
|---|----|----------|----------------|

|  |    |     |                |
|--|----|-----|----------------|
|  | LC | OPM | 2900-52-0004MR |
|--|----|-----|----------------|

|   |    |          |                |
|---|----|----------|----------------|
|  | ST | OTDR/OLS | 2900-50-0004MR |
|---|----|----------|----------------|


|  |                  |     |                |
|--|------------------|-----|----------------|
|  | 2.5 mm Universal | OPM | 2900-52-0005MR |
|--|------------------|-----|----------------|

|  |    |          |                |
|--|----|----------|----------------|
|  | LC | OTDR/OLS | 2900-50-0006MR |
|--|----|----------|----------------|

|   |                   |     |                |
|---|-------------------|-----|----------------|
|  | 1.25 mm Universal | OPM | 2900-52-0006MR |
|---|-------------------|-----|----------------|

|   |        |          |                |
|---|--------|----------|----------------|
|  | SC/APC | OTDR/OLS | 2900-50-0011MR |
|---|--------|----------|----------------|

|  |                  |     |                |
|--|------------------|-----|----------------|
|  | 2.5 mm Universal | VFL | 2900-53-0001MR |
|--|------------------|-----|----------------|


|   |    |     |                |
|---|----|-----|----------------|
|  | FC | OPM | 2900-52-0001MR |
|---|----|-----|----------------|

|  |                   |     |                |
|--|-------------------|-----|----------------|
|  | 1.25 mm Universal | VFL | 2900-53-0002MR |
|--|-------------------|-----|----------------|

|   |    |     |                |
|---|----|-----|----------------|
|  | SC | OPM | 2900-52-0002MR |
|---|----|-----|----------------|

## M710 Series Compact OTDRs


### Connector Adapters for the OTDR, OPM, and VFL Test Ports


| IMAGE   | TYPE | PORT | AFL NO.        |
|---|------|------|----------------|
|  | FC   | OTDR | 2900-50-0002MR |


|   |    |      |                |
|---|----|------|----------------|
|  | SC | OTDR | 2900-50-0003MR |
|---|----|------|----------------|


|   |    |      |                |
|---|----|------|----------------|
|  | ST | OTDR | 2900-50-0004MR |
|---|----|------|----------------|

|  |    |      |                |
|--|----|------|----------------|
|  | LC | OTDR | 2900-50-0006MR |
|--|----|------|----------------|

|   |    |     |              |
|---|----|-----|--------------|
|  | FC | OPM | 8800-00-0200 |
|---|----|-----|--------------|

|   |    |     |              |
|---|----|-----|--------------|
|  | SC | OPM | 8800-00-0209 |
|---|----|-----|--------------|

| IMAGE  | TYPE | PORT | AFL NO.      |
|--|------|------|--------------|
|  | ST   | OPM  | 8800-00-0202 |

|  |    |     |              |
|--|----|-----|--------------|
|  | LC | OPM | 8800-00-0225 |
|--|----|-----|--------------|

|  |                  |     |              |
|--|------------------|-----|--------------|
|  | 2.5 mm Universal | OPM | 8800-00-0214 |
|--|------------------|-----|--------------|


|   |                   |     |              |
|---|-------------------|-----|--------------|
|  | 1.25 mm Universal | OPM | 8800-00-0224 |
|---|-------------------|-----|--------------|


|  |                  |     |                |
|--|------------------|-----|----------------|
|  | 2.5 mm Universal | VFL | 2900-53-0001MR |
|--|------------------|-----|----------------|


|  |                   |     |                |
|--|-------------------|-----|----------------|
|  | 1.25 mm Universal | VFL | 2900-53-0002MR |
|--|-------------------|-----|----------------|


## OLS Series Optical Light Sources

### Connector Adapters for the OLS Ports

| IMAGE   | TYPE | AFL NO.        |
|---|------|----------------|
|  | FC   | 2900-50-0002MR |


| IMAGE  | TYPE | AFL NO.        |
|--|------|----------------|
|  | ST   | 2900-50-0004MR |


|   |    |                |
|---|----|----------------|
|  | SC | 2900-50-0003MR |
|---|----|----------------|

|  |    |                |
|--|----|----------------|
|  | LC | 2900-50-0006MR |
|--|----|----------------|


## OPM Series Power Meters and OFS300 & VS300 Inspection Scopes


### Connector Adapters for OPM Power Meters and OFS300 & VS300 Inspection Scopes


| IMAGE   | TYPE | AFL NO.      |
|---|------|--------------|
|  | FC   | 8800-00-0200 |

| IMAGE  | TYPE           | AFL NO.        |
|--|----------------|----------------|
|  | LC duplex only | 8800-00-0273PR |

|   |    |              |
|---|----|--------------|
|  | SC | 8800-00-0209 |
|---|----|--------------|

|  |  |              |
|--|--|--------------|
|  | 2.5 mm Universal<br>Accepts FC, SC, ST<br>ferrules | 8800-00-0214 |
|--|--|--------------|

|   |     |              |
|---|-----|--------------|
|  | ST® | 8800-00-0202 |
|---|-----|--------------|

|  |  |              |
|--|--|--------------|
|  | 1.25 mm Universal<br>Accepts LC, MU ferrules | 8800-00-0224 |
|--|--|--------------|

|   |                 |              |
|---|-----------------|--------------|
|  | LC Simplex only | 8800-00-0225 |
|---|-----------------|--------------|


|  |  |              |
|--|--|--------------|
|  | 2.5 mm, open Universal<br>(for OptiTap connectors) | 8800-00-0219 |
|--|--|--------------|



# OPM Series Power Meters and OFS300-200 & VS300 Inspection Scopes


## Connector Adapters for OPM Power Meters and OFS300-200 & VS300 Inspection Scopes

| IMAGE | TYPE | AFL NO. |
|-------|------|---------|
|-------|------|---------|



E-200


8800-00-0221

|   |            |              |
|---|------------|--------------|
|  | MU Simplex | 8800-00-0226 |
|---|------------|--------------|



MT-RJ (A side only)


8800-00-0230

|  |                          |              |
|--|--------------------------|--------------|
|  | MT-RJ (A side or B side) | 8800-00-0231 |
|--|--------------------------|--------------|



SMA

8800-00-0203


|   |    |              |
|---|----|--------------|
|  | D4 | 8800-00-0201 |
|---|----|--------------|

| IMAGE | TYPE | AFL NO. |
|-------|------|---------|
|-------|------|---------|



Biconic

8800-00-0204

|  |           |              |
|--|-----------|--------------|
|  | DIN 47256 | 8800-00-0211 |
|--|-----------|--------------|



PFO/VFO (Radial)

8800-00-0212


## Adapters for Plastic Optical Fiber (POF)

| IMAGE | TYPE | AFL NO. |
|-------|------|---------|
|-------|------|---------|




1000 μm bare fiber


8800-00-0223


|  |                                |                |
|--|--------------------------------|----------------|
|  | POF Universal,<br>HP-HFBR-45XX | 8800-00-0271PR |
|--|--------------------------------|----------------|


## OFS300-200 and VS300 Inspection Scopes Only

### Connector Adapters for OFS 300-200 and VS 300 Series Inspection Scopes

| IMAGE   | TYPE   | AFL NO.      |
|---|--------|--------------|
|  | SC/APC | 8800-00-0220 |


| IMAGE  | TYPE                  | AFL NO.      |
|--|-----------------------|--------------|
|  | 2.5 mm open Universal | 8800-00-0219 |

|   |        |              |
|---|--------|--------------|
|  | FC/APC | 8800-00-0218 |
|---|--------|--------------|


|  |          |              |
|--|----------|--------------|
|  | SMC (0°) | 8800-00-0235 |
|--|----------|--------------|

|   |            |              |
|---|------------|--------------|
|  | E-2000/APC | 8800-00-0229 |
|---|------------|--------------|


|  |                      |              |
|--|----------------------|--------------|
|  | 1.6 mm Ferrule (pin) | 8800-00-0244 |
|--|----------------------|--------------|


|  |                             |              |
|--|-----------------------------|--------------|
|  | MTP®/MPO (0°), typically MM | 8800-00-0233 |
|--|-----------------------------|--------------|

|   |                      |              |
|---|----------------------|--------------|
|  | 2.0 mm Ferrule (pin) | 8800-00-0248 |
|---|----------------------|--------------|

|   |                             |              |
|---|-----------------------------|--------------|
|  | MTP®/MPO (8°), typically SM | 8800-00-0234 |
|---|-----------------------------|--------------|

|  |             |              |
|--|-------------|--------------|
|  | EC (Radial) | 8800-00-0227 |
|--|-------------|--------------|

|   |                        |              |
|---|------------------------|--------------|
|  | 1.25 mm open Universal | 8800-00-0236 |
|---|------------------------|--------------|

|  |  |              |
|--|--|--------------|
|  | 1.25/2.5 mm Universal sliding (2-position) adapter | 8800-00-0265 |
|--|--|--------------|



## Connector Adapters for the OFI-BIPM Power Meter Port

| IMAGE   | TYPE | AFL NO.    |
|---|------|------------|
|  | FC   | BIPM-00-FC |
|  | SC   | BIPM-00-SC |
|  | ST   | BIPM-00-ST |

| IMAGE  | TYPE          | AFL NO.    |
|--|---------------|------------|
|  | LC            | BIPM-00-LC |
|  | 2.5 Universal | BIPM-00-25 |

## SVA1 Optical Attenuator Connector Adapters

| IMAGE   | TYPE       | AFL NO.        |
|---|------------|----------------|
|  | FC adapter | 2900-50-0002MR |
|  | SC adapter | 2900-50-0003MR |

| IMAGE  | TYPE       | AFL NO.        |
|--|------------|----------------|
|  | ST adapter | 2900-50-0004MR |
|  | LC adapter | 2900-50-0006MR |





[www.AFLglobal.com](http://www.AFLglobal.com) or (800) 321-5298, (603) 528-7780

Revision 2018.05.15  
© 2018, AFL, all rights reserved. Specifications are subject to change without notice.